



Gdansk, 2021-12-02

AB 1755

CERTIFICATE OF ANALYSIS No. S/CL/1699/21

Customer	Matei 019 Ltd 1618 Sofia; Bulgaria; bul. Tzar Boris III No 128		
Basis for analysis order number, contract number	Subject of analysis sample matrix	Condition of samples correct / incorrect - according to I-01/PO-03	
Z/CL/1699/21	Dry hemp	Correct	
Place of sampling according to the Customer's information	Date of sampling according to the Customer's information	Date of samples' delivery to the laboratory	Analysis completion date
No data	No data	30.11.2021	02.12.2021
Analyses conducted by:		Additional information	
EkotechLAB R&D Laboratory Fiszerka 14, 80-231 Gdańsk, Poland		None	

Samples identification:

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	Sample 1	3899/21

Results:

No.	Sample code	Subject of determination	Method*	Result **	Unit
1.	3899/21	CBD	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ NA	0.18	% (m/m)
2.		CBDA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	5.99	% (m/m)
3.		Δ9-THC	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.02	% (m/m)
4.		Δ9-THCA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.16	% (m/m)
5.		CBC	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.02	% (m/m)
6.		CBGA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.05	% (m/m)
7.		CBG	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ NA	0.02	% (m/m)
8.		CBDV	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	<0.01	% (m/m)
9.		CBN	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	<0.01	% (m/m)
10.		Δ8-THC	PB-CL-3:2019 issue.1 from 02.06.2020/HPLC/ NA	<0.01	% (m/m)
11.		CBL	PB-CL-3:2019 issue.1 from 02.06.2020/HPLC/ NA	<0.01	% (m/m)
12.		THCV	PB-CL-3:2019 issue.3 from 26.08.2020/HPLC/ NA	<0.01	% (m/m)
13.		Sum of CBD and CBDA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ NA	6.17	% (m/m)
14.		Sum of Δ9-THC and Δ9-THCA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.18 ± 0.03	% (m/m)
15.		Sum of cannabinoids	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ NA	6.44	% (m/m)

* The method No. assigned according to the formula: No. of test procedure / issue / date issued / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor

Note: Concentrations are given on a dry weight basis



mgr Inz. Joanna Klein
Kierownik ds. Jakości
ekotechLAB

Prepared by: Martyna Zieleniewska
Instrumental Analysis Specialist

Authorized by: Joanna Klein
Quality Manager

** The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor k = 2, the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the delivered samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

THE END OF REPORT